



Web




Wechat



WhatsApp

Hainan Bluesea Industrial.Co LTD
No. 18, Chijin Road, Bipu Village, Dengtang Town,
Chaoan District, Chaozhou City, Guangdong Province.

WhatsApp :+8613925253368
Email:info@samiyahsanitaryware.com
Web :www.samiyahsanitaryware.com





Designed for Modern Projects.
Crafted for Lasting Partnerships.

ABOUT SAMIYAH

The company is a development, design, production, sales in one of the large-scale sanitary ware manufacturers. SAMIYAH sanitary ware takes "5G" as the front driving force of development-good quality, good production, good service, good price, good style!

Since 2006

2	80000 m ²	270+	100 m	35,000	550,000	100
Production workshop	Footprint	Workers	Kiln Length	Monthly Production	Annual Production	Number Of Containers Loaded Per Month






Building Of Production

Office Building



SAMIYAH®

Certifications & Patents

				
				
				
				
		In order to better carry out international trade co-operation, and at the same time improve the competitiveness of the factory's own products, SAMIYAH Sanitary Ware has obtained the certificates required by the exporting countries.		

Our products are sold all over the world

With the expansion of the company's trade scale, years of marketing and internal system operation, products have been exported to Europe, Asia, Australia and other regions, customers all over the world, and with good reputation has been trusted by customers at home and abroad.

5⁺
Regions

-  SAMIYAH exporting countries
-  SAMIYAH ceramic production centres and sales companies





COMPANY HISTORY

1999

Establishment

Founded by previous generation, initially specializing in traditional craftsmanship, primarily producing porcelain figurines.

2016

Transformation

Adapting to market changes, embracing new business models, aligning with international standards, and entering the low-end foreign trade sector.

2019

Reform

Initiating kiln reconstruction, enhancing operational efficiency, reshaping the company's positioning to target the mid-to-high-end market segment, and optimizing organizational structure.



Nowdays

Leap Forward

Expanding market presence, aggressively exploring international business opportunities, and successfully establishing partnerships as a recognized brand in various regions.

PRODUCTION PROCESS

Modern production equipment, large-scale storage facilities, strict and professional production requirements, strict control of every detail, level by level, with excellent product quality, has become a trusted sanitary ware brand by thousands of families.



Samiyah
SANITARY WARE



SOUTH AMERICA EUROPE QUALITY CONTROL

Our inspection process strictly follows the standards of each region, carefully checking and perfectly presenting every detail to ensure you get a higher quality product. This is our important commitment to you, but also our strict requirements for themselves!



5 Upgrade Modules

It is calcined at high temperature and selected high-quality porcelain clay, smooth and self-cleaning glaze, not easy to hang dirt, and easy to clean.



EASY TO INSTALL

The new quick-release device allows to take the toilet seat off in a simple manner, making it easier to clean.



SOFT CLOSE

Thermosetting seat cover with soft closing system.



FLUSHING

Arranged water distribution holes bring triple instantaneous flushing, flushing without leaving marks, sewage smoothly without blocking.



SEWER GLAZING


The inner pipe is glazed, smooth and easy to clean, and can keep clean for a long time.



INCREASE PIPELINE

Widening the design of pipeline is helpful for smoothly discharging dirt without blocking for a long time.

FLUSHING SYSTEM



The rimless toilet ensures that every flush is highly hygienic and uses less water.



The tornado flushing system enables good transport of waste with minimal water consumption, replacing 100 per cent of the stagnant water in the cycle.




TECHNOLOGY INNOVATION

In order to improve the hygiene and cleanliness of the toilet, we offer a solution that ensures intense and efficient flushing.

We have eliminated the design of the toilet's protruding edges so that the inner surface of the toilet is completely visible and there are no flushing edges that can harbour bacteria, making it difficult for dirt, bacteria and sediment to accumulate, saving time and ensuring that the water is evenly distributed over the entire surface, making cleaning easier.

The toilet is glazed with full pipe glazing, so stains don't adhere easily and can be cleaned better.



Traditional

Traditonal flush rims attract germs, dirt and deposits.



SAMIYAH

Without a flush rim, there is ng hidden, Easy to clean.



ONE PIECE TOILET

One-piece integrated design with rimless bowl, keeps clean easily without dirt buildup. Combined tank and body avoid water leakage. Adopt tornado siphon flush for strong flushing force, nice and sleek look.



TORNADO RIMLESS

ONE PIECE TOILET

Model:SA-2180



Small-sized toilet
Space-saving toilet

RIMLESS
TORNADO
SIPHON

size:590*380*730mm

Technical Information

Toilet weight with/without package | 45kg/48kg

Flushing system | Washdown-Open Rimless


Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.18

Drawing

Unit: mm



Rimless

Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat
cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle
valve



Gasket



Screw



TORNADO RIMLESS

ONE PIECE TOILET

Model:SA-2182




size:700*390*740mm

Technical Information

Toilet weight with/without package | 45kg/48kg
Flushing system | Washdown-Open Rimless
Rough in | S-300/400mm
One full 40HQ container can load (around) | 380sets
CBM | 0.18

Drawing

Unit: mm



Can be bidet

Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat




Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw



ONE PIECE TOILET

Model:SA-2181



4D

size:700*390*610mm

Technical Information

Toilet weight with/without package | 45kg/48kg

Flushing system | Washdown-Open Rimless


Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.18

Drawing

Unit: mm



Can be bidet

Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET

Model:SA-2178




size:680*680*440mm

Technical Information

Toilet weight with/without package | 50kg/55kg
Flushing system | TORNADO-Open Rimless
Rough in | S-300/400mm
One full 40HQ container can load (around) | 310sets
CBM | 0.22

Drawing

Unit: mm



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET

Model:SA-2175




size:670*380*750mm

Technical Information

Toilet weight with/without package | 51kg/54kg
Flushing system | Rimless
Rough in | S-150mm/P-180mm/S-250mm
One full 40HQ container can load (around) | 350sets
CBM | 0.19

Drawing

Unit: mm



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



SIPHONIC.



ONE PIECE TOILET

Model:SA-2169



size:720*385*730mm

Technical Information

Toilet weight with/without package | 50kg/53kg

Flushing system | Double waterfall rimless Three auxiliary flushing


Rough in | S-300mm/S-400mm

One full 40HQ container can load (around) | 380sets

CBM | 0.18

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube & Angle valve



Gasket



Screw



ONE PIECE TOILET
Model:SA-2159



Technical Information

Toilet weight with/without package | 41kg/44kg


Flushing system | Siphonic

Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.17


Drawing



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET
Model:SA-2171



Technical Information

Toilet weight with/without package | 54kg/57kg
Flushing system | Tornado 2D
Rough in | S-300mm
One full 40HQ container can load (around) | 340sets
CBM | 0.195

Drawing



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories




ONE PIECE TOILET
Model:SA-2150



Technical Information

Toilet weight with/without package | 45kg/48kg
Flushing system | Siphonic
Rough in | S-300mm
One full 40HQ container can load (around) | 352sets
CBM | 0.185

Drawing



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET
Model:SA-2176




size:680X380X740mm

Technical Information

Toilet weight with/without package | 46kg/44kg
Flushing system | Siphonic
Rough in | S-300/400mm
One full 40HQ container can load (around) | 380sets
CBM | 0.180

Drawing



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories




ONE PIECE TOILET
Model:SA-2170



size:700*365*650mm

Technical Information

Toilet weight with/without package | 54kg/57kg
Flushing system | Tornado 4D
Rough in | S-200-S-400mm
One full 40HQ container can load (around) | 380sets
CBM | 0.18



ONE PIECE TOILET
Model:SA-9050




size:700*400*735mm

Technical Information

Toilet weight with/without package | 51kg/54kg
Flushing system | Single Hole Flushing-Open
Rough in | S-300mm
One full 40HQ container can load (around) | 380sets
CBM | 0.175

Drawing



Unit: mm

Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET
Model:SA-2127




size:710*390*760mm

Technical Information

Toilet weight with/without package | 47kg/50kg
Flushing system | Tornado2D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 370sets
CBM | 0.185

Drawing



Unit: mm

Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET
Model:SA-2154



size:720*385*710mm

Technical Information

Toilet weight with/without package | 45kg/48kg

Flushing system | Tornado4D


Rough in | S-300mm/S-300-S-400mm

One full 40HQ container can load (around) | 370sets

CBM | 0.185

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:SA-2153



size:700*375*770mm

Technical Information

Toilet weight with/without package | 51kg/54kg

Flushing system | Tornado4D


Rough in | S-300mm/S-300-S-400mm

One full 40HQ container can load (around) | 370sets

CBM | 0.185

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:SA-2155



size:660*380*710mm

Technical Information

Toilet weight with/without package | 46kg/49kg

Flushing system | Tornado6D


Rough in | S-300mm/S-300-S-400mm

One full 40HQ container can load (around) | 380sets

CBM | 0.18

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:SA-2149



size:720*380*780mm

Technical Information

Toilet weight with/without package | 51kg/54kg

Flushing system | Tornado4D


Rough in | S-300-S-400mm

One full 40HQ container can load (around) | 370sets

CBM | 0.18

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw



ONE PIECE TOILET

Model:SA-2183



size:710*370*715mm

Technical Information

Toilet weight with/without package | 46kg/49kg

Flushing system | Siphonic


Rough in | S-300mm/S-400mm

One full 40HQ container can load (around) | 380sets

CBM | 0.18

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:SA-9051



size:740*420*750mm

Technical Information

Toilet weight with/without package | 49kg/52kg

Flushing system | Tornado2D

Rough in | S-300-S-400mm

One full 40HQ container can load (around) | 366sets

CBM | 0.18

Drawing

Unit: mm

Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:SA-2174



size:710*375*765mm

Technical Information

Toilet weight with/without package | 50kg/53kg

Flushing system | Tornado4D

Rough in | S-300-S-400mm

One full 40HQ container can load (around) | 380sets

CBM | 0.18

Drawing

Unit: mm

Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories




Tube&Angle valve



Gasket



Screw



ONE PIECE TOILET
Model:SA-2172



size:700*405*750mm

Technical Information

Toilet weight with/without package | 54kg/57kg

Flushing system | Tornado4D


Rough in | S-300-S-400mm

One full 40HQ container can load (around) | 380sets

CBM | 0.18

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:SA-2179



size:680*400*740mm

Technical Information

Toilet weight with/without package | 54kg/57kg

Flushing system | Tornado4D


Rough in | S-300-S-400mm

One full 40HQ container can load (around) | 380sets

CBM | 0.18

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:SA-2075



size:680*360*730mm

Technical Information

Toilet weight with/without package | 46kg/49kg

Flushing system | Tornado 2D


Rough in | S-250mm

One full 40HQ container can load (around) | 370sets

CBM | 0.18

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:SA-2008



size:730*670*370mm

Technical Information

Toilet weight with/without package | 52kg/55kg

Flushing system | Open Tornado 2D


Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.17

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET

Model:SA-2085



size:665*355*705mm

Technical Information

Toilet weight with/without package | 43kg/46kg


Flushing system | Open Tornado 2D

Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.17

Drawing



ONE PIECE TOILET

Model:SA-2021



Technical Information

Toilet weight with/without package | 47kg/50kg


Flushing system | Single Hole Flushing-Open

Rough in | S-300mm

One full 40HQ container can load (around) | 352sets

CBM | 0.185


Drawing



Water Fitting




Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness


Other Accessories



Water Fitting




Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET
Model:SA-2176



size:690*380*735mm

Technical Information

Toilet weight with/without package | 45kg/48kg

Flushing system | Open Waterfall Rimless


Rough in | S-300mm

One full 40HQ container can load (around) | 352sets

CBM | 0.185

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw



ONE PIECE TOILET
Model:SA-2109




Technical Information

Toilet weight with/without package | 42kg/45kg
Flushing system | Tornado2D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 395sets
CBM | 0.17

Drawing

Unit: mm



ONE PIECE TOILET
Model:SA-2091




Technical Information


Toilet weight with/without package | 47kg/50kg
Flushing system | Tornado2D
Rough in | S-220/300/400mm
One full 40HQ container can load (around) | 375sets
CBM | 0.185

Drawing

Unit: mm



Water Fitting



Toilet Seat




UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET
Model:SA-2157




size:665*385*750mm

Technical Information

Toilet weight with/without package | 49kg/52kg
Flushing system | Tornado2D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 370sets
CBM | 0.185

Drawing

Unit: mm



ONE PIECE TOILET
Model:SA-2011




size:630*355*725mm

Technical Information

Toilet weight with/without package | 43kg/46kg
Flushing system | Tornado2D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 420sets
CBM | 0.16

Drawing


Unit: mm



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET
Model:SA-3003



size:740*370*675mm

Technical Information

Toilet weight with/without package | 38kg/41kg

Flushing system | Siphonic


Rough in | S-300mm

One full 40HQ container can load (around) | 420sets

CBM | 0.16

Drawing

Unit: mm



ONE PIECE TOILET
Model:SA-2184



size:650*430*630mm

Technical Information

Toilet weight with/without package | 38kg/41kg

Flushing system | Siphonic

Rough in | S-300mm

One full 40HQ container can load (around) | 420sets

CBM | 0.16

Drawing

Unit: mm



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Muslim Commode


ONE PIECE TOILET
Model:SA-5002



Technical Information

Toilet weight with/without package | 42kg/45kg
Flushing system | Tornado2D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 395sets
CBM | 0.17

Drawing



Muslim Commode


ONE PIECE TOILET
Model:SA-5003




Technical Information

Toilet weight with/without package | 47kg/50kg
Flushing system | Tornado2D
Rough in | S-220/300/400mm
One full 40HQ container can load (around) | 375sets
CBM | 0.185


Drawing




Water Fitting



Toilet Seat




Other Accessories



Water Fitting



Toilet Seat



Other Accessories



Muslim Commode
ONE PIECE TOILET
Model:SA-5004




Technical Information


Toilet weight with/without package | 42kg/45kg
Flushing system | Tornado2D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 395sets
CBM | 0.17

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

Other Accessories



Tube&Angle valve



Gasket



Screw

Muslim Commode
ONE PIECE TOILET
Model:SA-5005




Technical Information

Toilet weight with/without package | 47kg/50kg
Flushing system | Tornado2D
Rough in | S-220/300/400mm
One full 40HQ container can load (around) | 375sets
CBM | 0.185

Drawing


Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

Other Accessories



Tube&Angle valve



Gasket



Screw

Scan to Learn More About Our Muslim Commode Solutions



SA5008



SA5009



SA5010



SA5012



SA5013



SA5014



SA5015



SA5016



SA5017



SA5018

ONE PIECE TOILET

Model:SA-3132



size:690*420*610mm

Technical Information

Toilet weight with/without package | 38kg/41kg

Flushing system | Siphonic


Rough in | S-300mm

One full 40HQ container can load (around) | 420sets

CBM | 0.16

Drawing

Unit: mm



Water Fitting



R&T Fitting



WDI Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw



**Samiyah
sanitaryware**

Times change, quality stays

